T. Sakata & Co.

SPECIAL OFFER OF



Yokohama. Japan SAKATA'S RELIABLE TREE

This cancells previous Offers.

TERMS:

ORDERS are booked subject to crop and prior sale.

ALL PRICES are net in English Sterlings and are offered at F.O.B. Yokohama, packing charges extra at cost. PAYMENT 60 days draft attached documents (documents against payment) or C.O.D.

| Fruit and Economic Plant Seeds | | | | | | | | | | | | | ama Price | |
|-------------------------------------|--------|--------|-------|-----------------|-------------------|---------------|------------------------------------|---------------------------------|-------|---------|-------------|-----------------------------|------------------------|---------------------|
| F.O.B. Yohohama Price | | | | | | | | | | | Per 1/4 lb. | Per lb. | Per lb. 10 lbs. lot | |
| | | | | Per | Per | Per lb. | JUNIPERUS (S | | | | | | | 0.10 |
| GARATIK T.A. | | 1 | | ¼ lb. | | 10 lbs. lot | Chinensis Communis | ••• | ••• | | | 1/- | 2/4 1/3 | 2/2 1/- |
| CAMELLIA Theifera | | | | 1/- | 1/5 | 1/2 | Formorana | and the same | | | A COLUMN | 6/- | 20/- | 18/- |
| CASTANEA (Chestnut) | | | | -/ | -/- | -/- | Littoralis Procumbens | ••• | | | | 1/8 1/10 | 4/- | 3/8 |
| Japonica | ••• | | | 1/- | 1/3 | 1/1 | Rigida | | | *** | | 7/3 | 21/- | 19/- |
| Mollissima Pubinervis | | | | 1/- | $\frac{1/8}{1/8}$ | $\frac{1}{6}$ | LARIX | | | | | | | |
| Tamba | | | | 1/- | 1/8 | 1/6 | Dahurica (Kore Leptolepis (Japa | an Laro | ch) | Cron | fail | ara) | | |
| CINNAMOMUM | | | | | | | Kurilensis (Kur | | | Crop | lair | | | |
| Camphora | | | ••• | 1/- | 3/- | 2/8 | LIVISTONIA | | | | | | | |
| Loureirii Pedunculatum | | | | 1/8 1/8 | 4/8 | 4/3 4/3 | Chinensis | ••• | | *** | 1 | Per 100 | seeds | 8/- |
| DIOSPYROS | | | 20 | 1,0 | 1/0 | .,, 5 | PANDANUS Boninensis | | | | 1 | Per 100 | saeds | 8/- |
| Japonica | | | | 1/- | 2/5 | 2/3 | PICEA | ••• | ••• | | | | DIVERS | / |
| Kaki | | | | 1/10 | 5/- | 4/8 | Ajanensis | | | | | 7/10 | 23/3 | 21/- |
| Lotus PYRUS | ••• | • • • | ••• | 1/- | 2/- | 1/10 | Alcockiana Glehni | ••• | ••• | ••• | ••• | $\frac{6}{8} = \frac{7}{5}$ | 19/8 22/- | 17/10 20/- |
| Serotina | | | | 6/- | 18/3 | 16/3 | Hondoensis | | | *** | | 6/5 | 19/- | 17/- |
| Ussuriensis | | | | 7/- | 20/- | 18/- | Koraiensis | *** | | | | 5/7 | 16/- | 14/- |
| Ussuriensis (Cultivated) | | | | 8/- | 30/- | 28/- | Koyamai Polita | ••• | ••• | | ••• | 8/5 | $\frac{29}{5}$ | 25/3 15/10 |
| WALNUT (Juglans) Cordiformis | | | | 1/- | 1/9 | 1/7 | PINUS | ••• | | ••• | | 0/ | 17/3 | 15/10 |
| Manchurica | | | • • • | 1/- | 2/- | 1/10 | Brevispica | | | | | 6/- | 20/- | 18/- |
| Sieboldiana | | • • • | • • • | 1/- | 1/4 | 1/3 | Bungeana | • • • • | ••• | ••• | ••• | 2/8 | 7/8 | 7/- |
| | | | | _ | | | Densiflora Koraiensis | ••• | ••• | ••• | | 1/10 1/8 | 5/3 4/5 | 4/10 |
| | | | - | | | | Luchuensis | | | | | 6/- | 20/- | 18/- |
| Conife | rous a | nd Pa | alm | Seeds | | | Massioniana | • • • * | | *** | | 4/- | 12/- | 11/8 |
| ABIES | | | | | | - 1 | Parviflora Pentaphylla | • • • • | ••• | ••• | *** | 4/- 4/- | $\frac{11/8}{11/8}$ | $\frac{10/8}{10/8}$ |
| Brachyphylla | | | ••• | 3/- | 8/10 | 8/- | Pumila | | | ••• | | 8/- | 24/- | 21/8 |
| Firma Holophylla | | | ••• | 1/10 4/10 | 5/10 | 5/5 12/8 | Tabulaeformis | ••• | ••• | • • • • | | 4/3 | 12/8 12/- | 11/5 11/8 |
| Koreana ··· | | | | 4/10 | 14/- | 12/8 | Taiwanensis Tanyosho | • • • • | ••• | *** | | 20/- | 70/- | 11/0 |
| Mariesii | | • • • | | 3/8 | 10/8 | 9/8 12/8 | Thunbergii | ••• | | | | 1/10 | 5/4 | 4/10 |
| Nephrolepis Sachalinensis | | ••• | | 5/10 | 14/- | 14/10 | PODOCARPUS | | | | | 1/0 | 1/2 | 3/10 |
| Veitchii | | | | 3/8 | 10/- | 9/8 | Chinensis Nageia | • • • | *** | ••• | *** | 1/8 | 4/3 8/5 | 7/8 |
| BIOTA (Thuja) | | | | 4 70 | 010 | 12/ | PSEUDOLARIX | ••• | | -3 | | of the se | 27 | |
| Orientalis Orientalis Compacta, bus | | nact t | vne | 1/- 3/- | $\frac{2}{5}$ | 2/- 9/- | Kaempferi | | | ••• | | 5/7 | 16/- | 14/- |
| CEPHALOTAXUS | ny com | pace | P | -1 | / | | SCIADOPYTIS Verticillata | | | | | 4/- | 11/8 | 10/3 |
| Drupacea | | | | 1/- | 2/4 | 2/2 | SIEBOKENTIA | | | ••• | *** | 101 | 0.7 | /- |
| Koraiana | | • • • | *** | 2/ | 6/- | 5/3 | Boninensis | ••• | ••• | | I | Per 100 | seeds | 8/- |
| CHAMAECYPARIS | | | | 1/5 | 5/3 | 4/8 | TAXUS Cuspidata, well-s | alsatad | :1 | anada | è | 3/3 | 9/3 | 8/3 |
| Obtusa Pisifera | | ••• | | 1/5 | 5/3 | 4/8 | THUJOPSIS | selected | VIIdi | 20002 | ••• | 3/3 | - 7/3 | 0/3 |
| CHAMAEROPS | | | | | , | | Dolabrata | | | ••• | | 5/10 | 16/3 | 14/8 |
| Excelsa | | | | 1/11 | 5/10 | 5/- 7/- | THUJA Orientalis (see 1 | Piete O | manta | lie) | | | | |
| Fortunei | *** | | ••• | 2/7 | 7/8 | // | Standishii | | ··· | | | 6/10 | 20/- | 18/- |
| CRYPTOMERIA Japonica | | | | 1/3 | 3/5 | 3/1 | TORREYA | | | | | - 1 | 0.10 | |
| Japonica, seeds collected | from | north | ern | .,. | | | Nucifera TSUGA | *** | *** | ••• | ••• | 1/- | 2/2 | 1/11 |
| Japan where Chryton | | | | 4/3 | 12/- | 11/- | Diversifolia | | | | | 5/8 | 16/3 | 14/10 |
| scarece | *** | | ••• | 7/3 | 14/ | 11/ | Sieboldi | | | • • • | | 5/8 | 16/3 | 14/10 |
| CUNNINGHAMIA Sinensis | | 114 | | 7/8 | 22/- | 20/- | ACER Japonicum | | | | | 3/3 | 9/3 | 8/30 |
| CYCAS | | | | | | | Nikoense | • • • • | | | | 4/- | 11/8 | 10/8 |
| Revoluta | | | Pe | | seeds | 7/- | | | | | 5/2 | 3/- | 8/10 | $\frac{7}{1}$ |
| | | | " | $1000 \\ 10000$ | " | 60/- 540/- | Polymorphum A | tropur _I Dissectu | | | | 16/10 | 50/5 | 42/- |
| GINKGO | | | ** | | | | | | Per | oz. 8/ | 10 | 29/5 | 84/- | 61 |
| Biloba | | | *** | 1/- | 1/3 | 1/1 | Purpurascens | ••• | ••• | ••• | ••• | 3/3 | 10/- | 9/- |
| | | | | | | | | | | | | | | |

| Deciduous | and | Evergi | reen T | ree | and Sh | rub See | eds | | | | | | | | ma Price |
|------------------------------------|--------|------------|---------------------|---------|-----------------|---------------------|------------------------|-------------------------------|---------|------------|---------|-----|-------------|--------------------|------------------------|
| | | | | | F.O.B. | . Yokoha | ıma Price | | | | | | Per ¼ lb. | Per lb. | Per lb. 10 lbs. lot |
| | | | | | Per ¼ lb. | Per lb. | Per lb. 10 lbs. lot | Floribunda | | ••• | | | 2/3 | 7/10 | 7/- |
| ACTINIDIA Arguta | | | | | 11/- | 33/- | 30/- | Paniculata CORNUS | | • • • | ••• | ••• | 2/10 | 8/3 | 7/5 |
| Polygama | ••• | ••• | | | 6/- | 20/- | 18/- | Kousa | | | | | 3/8 | 10/8 | 9/5 |
| AESCULUS Turbinata | | | | | 1/- | 2/- | 1/10 | Macrophylla CORYLUS | ••• | ••• | ••• | ••• | 1/11 | 5/10 | 5/3 |
| AKEBIA | | | ••• | | | | 8/3 | Rostrata | | | | ••• | 4/3 | 12/3 | 11/3 |
| Quinata | ••• | ••• | ••• | | 3/3 2/5 | $\frac{9}{3}$ 6/10 | 6/3 | CYDONIA Vulgaris | | | | | 1/11 | 5/5 | 4/10 |
| ALNUS Firma | | | | | 2/- | 6/5 | 5/3 | Japonica Pigma | iea | ••• | ••• | ••• | 2/8 | 8/- | 7/- |
| Japonica Obtusata | | | | | 1/9 3/- | 4/10 8/- | 4/- 7/3 | DAPHNIPHYL Humile | LUM | T | | | 4/3 | 12/8 | 11/5 |
| Sibirica | ••• | | | • • • | 2/- 3/10 | 6/- 11/3 | 5/3 10/3 | Marcopodum DESMODIUM (| seeds | in hul | | ••• | 7/5 | 21/- | 19/- |
| AMPELOPSIS | ••• | ••• | *** | • • • | | · · | | Japonicum Bos | eum | ••• | ••• | ••• | 1/9 | 4/8 | 6/10 |
| Heterophylla Quenquefolia | | | | | 3/- 1/5 | 8/- 4/- | 7/3 3/8 | DISANTHUS | um | ••• | *** | ••• | 2/7 | 7/8 | 6/10 |
| Veitchii ANDROMEDA | **** | \$ C. map. | 1 6 6 | | 1/10 | 4/10 | 4/3 | Cerdifolia ELAEAGNUS | 100 | | | | 6/- | 20/- | 18/- |
| Cernua Rubens | | | | | 17/10 | 52/5 | 46/3 | Macrophylla | ••• | | | | 3/3 | 9/3 | 8/5 |
| Japonica ARALIA | *** | ••• | ••• | | 9/8 | 28/- | 25/8 | ENKIANTHUS Campanulatus | | | | | 11/8 | 34/10 | 31/5 |
| Sieboldi Sinensis | | | | | 4/3 3/3 | 12/3 9/5 | 11/5 8/5 | EURYA | | | | | 5/3 | 15/8 | 12/10 |
| Spinosa | • • • | | ••• | | 2/10 | 8/3 | 7/- | Ochnacea | ••• | | | ••• | 8/- | 24/- | 22/- |
| ARDISIA (dried Crispa (Crenulat | | erries) | | | 6/- | 17/- | 15/10 | EUONYMUS Alatus | ••• | ••• | | | 3/- | 8/10 | 7/8 |
| Japonica AUCUBA | ••• | ••• | ••• | | 4/- | 11/8 | 10/8 | Japonicus Oxyphylla | *** | ••• | ••• | ••• | 3/3 3/- | $\frac{9/3}{8/10}$ | 8/3 7/8 |
| Japonica | ••• | ••• | | ••• | 1/9 | 5/3 | 4/8 | Radicans FRAXINUS | ••• | | ••• | | 2/4 | 6/10 | 6/- |
| AZALEA Confertissimum | | ••• | Per o 10/- | - | 30/- | | | Mandshurica | | ••• | | | 2/3 | 6/5 | 5/10 |
| Hinodegiri Kaempferi | ••• | | $\frac{16/1}{12/8}$ | | 50/5 37/10 | | | Pubinervis Shioji | ••• | ••• | ••• | ••• | 2/10 4/3 | $\frac{8}{5}$ 12/8 | $\frac{7/8}{11/5}$ |
| Kurume Mollis mixed | ••• | ••• | 60/- 4/5 | | $\frac{180}{-}$ | | | GARDENIA Florida | | | | | 7/- | 20/- | 16/- |
| Mollis yellow Mucronulatum | ••• | ••• | 7/- 14/- | | 20/- 40/- | | | GLEDITSCHIA Japonica | | | | | 4/3 | 13/5 | 11/8 |
| Omurasaki | | ••• | 40/- 29/5 | | 84/- | | | HERNANDIA | | | | | | | |
| Quinquefolia Ro | | ••• | 29/5 | | 84/- | | | Peltata HIBISCUS | *** | ••• | ••• | | Per 100 | seeds | 8/- |
| Rhombicum Schlippenbachii | ••• | ••• | 12/8 10/- | | 37/10 30/- | | | Mutabilis HYDRANGEA | | ••• | ••• | ••• | 11/8 | 34/10 | 31/8 |
| BERBERIS Chinensis, Chine | se Bui | rherry | | | 3/5 | 10/- | 9/- | Scandens IDESIA | • • • • | ••• | | | 8/5 | 25/3 | 23/- |
| Koraiensis Thunbergii, | ••• | | ••• | | 3/5 3/3 | 10/- 9/5 | 9/- 8/5 | Polycarpa | | | | | 4/- | 12/- | 11/8 |
| BUXUS | ••• | ••• | ••• | ••• | | | | ILEX Crenata | | | *** | | 2/10 | 8/3 | 7/5 |
| Koraiensis CAMELLIA | ••• | ••• | ••• | • • • • | 8/5 | 25/3 | 22/10 | Fujisanensis Integra | ••• | ••• | oz. 8/1 | 0 | 32/- 2/8 | 84/- 7/5 | 6/10 |
| Japonica | | *** | | • • • | 1/- 2/- | 2/4 6/- | 2/2 5/5 | Latifolia Pedunculata | ••• | ••• | | | 7/- 4/3 | 21/- 12/8 | 19/- 11/5 |
| " Red flo | wers | ••• | *** | | 1/5 | 4/- | 3/8 3/10 | Sieboldi ILLICIUM | | | | ••• | 3/3 | 9/5 | 8/5 |
| Sasanqua Theifera | | ••• | ••• | | 1/- | 1/4 | 1/2 | Anisatum KADSURA | | ••• | ••• | ••• | 2/10 | 8/3 | 7/5 |
| CARPINUS Cordata | | ••• | | • • • • | 4/- | 11/8 | 10/8 | Japonica | ••• | ••• | ••• | ••• | 10/- | 30/- | |
| Japonica Yedoensis | ••• | ••• | | | 4/- | $\frac{11/8}{11/8}$ | $\frac{10/8}{10/8}$ | KERRIA Japonica | | | | | 4/3 | 12/8 | 11/5 |
| CARYRUS | ••• | ••• | | ••• | , | | | LAGERSTROEN Indica, pink | MIA (s | eeds i | n hull) | | 3/- | 8/- | 7/3 |
| Mandshurica CASUARINA | ••• | ••• | ••• | ••• | 2/- | 6/- | 5/3 | " white LIGUSTRUM | | | | | 4/- | 12/- | 11/3 |
| Equisetifolia CELASTRUS | ••• | ••• | ••• | ••• | 4/- | 12/- | 11/8 | Ibota | ••• | | | | 1/- | 1/8 | 1/5 |
| Articulatus | ••• | | ••• | | 4/- | 11/8 | 10/8 | Japonicum LINDERA | *** | ••• | ••• | ••• | 2/5 | 7/- | 6/5 |
| CELTIS Chinensis | | | | | 2/2 | 6/8 | 5/10 | Praecox Tribola | • • • | ••• | • • • • | ••• | 2/5 3/- | 7/- 8/- | 6/5 7/3 |
| Bungeana CERCIDIPHYLL | | ••• | • • • | | 3/8 | 8/- | 7/3 | MAGNOLIA(we Conspicua (yur | | d vita | |) | 8/5 | 25/3 | 22/8 |
| Japonicum | | ••• | | • • • • | 7/10 | 22/3 | 20/- | Hypoleuca | | ••• | ••• | ••• | 2/3 | 6/5 | 5/- |
| CERCIS Chinensis (Japon | ica) | | | | 7/- | 20/- | 18/- | Kobus Parviflora | ••• | ••• | ••• | ••• | 2/5 6/- | 7/- 20/- | 6/5 18/- |
| CHLORANTHUS Glaber, scarlet-re | , | | | | Per 100 | berries | 6/- | Salicifolia MELIA | *** | • • • | **** | ••• | 3/- | 8/5 | 7/8 |
| | | | *** | | ,, 1000 | " | 48/- | Japonica MORUS | ••• | ••• | ••• | ••• | 1/5 | 4/- | 3/8 |
| Glaber, golden-y | emow. | Detries | ••• | • • • | ,, 1000 | " | 6/- 48/- | Alba | *** | | ••• | ••• | 3/- | 9/- | 8/- |
| | | | | | | | | | | | | | | | |

| | F.O.B. Yokohama Pri | ee | | F.O.B. Yokohama Price |
|--|---|------------------------------|----------------|--|
| | Per Per lb | | | Per Per lb. |
| NANDINA | ¼ lb. lb. 10 lbs. | TAMARIX | | ¼ lb. lb. 10 lbs. lot |
| Domestica, red berries | 3/- 8/5 7/ 4/3 12/- 11/ | Chinensis | | 10/- 28/- 24/- |
| PAEONIA | 1/3 12/- 11/ | TILIA Mandshuriea | *** | 6/- 20/- 18/- |
| Moutan, seed collected from superior | 10/ 20/5 07/ | VACCINIUM | | |
| garden varieties Chinensis, double fl. mixed | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | ••• | 9/- $27/ 24/5$ $6/ 20/ 18/-$ |
| Obovata mixed | 7/10 22/10 20/ | | | 20/ |
| PHOTINIA | 0/6 0/6 0 | Carlesii (true) | | 10/6 36/- |
| Glabra Villosa | 3/3 9/5 8/ 3/3 9/5 8/ | | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| PITTOSPORUM | 5/5 2/5 5/ | Japonicum, | | 4/- 12/8 11/8 |
| Tobira | 3/8 10/10 9/ | Odoratissimum, Sandankwa, | | 2/10 $7/10$ $7/ 3/ 8/10$ $7/10$ |
| PRUNUS | 6/ 00/ 10/ | Sargentii, | | 3/5 10/- 9/- |
| Granatum Lannesiana | 6/- $20/ 18/$ $2/10$ $8/3$ $7/$ | | | $ \begin{array}{ccccccccccccccccccccccccccccccccc$ |
| Mume | 1/3 3/10 3/ | Wrightii | | 3/5 10/- 9/- |
| Pendula | 4/10 $14/ 12/$ $6/ 20/ 18/$ | Colomatica | | 1/10 4/8 4/- |
| Serrulata | 2/10 8/3 7/ | WICHADIA | and due Prince | 1/10 4/8 4/- |
| Serrulata var. Sachalinensis Serrulata Deep Rose, large single-fl. | 5/8 16/3 18/ | Sinensis, blue | | 1/4 3/10 3/5 |
| garden Cherry | 6/- 20/- 18/ | , white , Multijuga blue | | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Serrulata white-flowering, large single garden variety | 6/- 20/- 18/ | , " whit | | |
| PUERARIA (Kudza Vine) | * ** | ZELKOWA Acuminata | | 2/10 8/5 7/8 |
| Thunbergiana | 2/5 7/- 6/ | Acuminata | | 2/10 8/3 7/8 |
| RHAPHIOLEPIS Japonica | 4/10 14/- 12/ | | | |
| RHODODENDRON | | Har | dy Perennial | Seeds |
| Brachycarpa, white flowering Rhododendron oz. 10/- | 34/- | | | F.O.B. Yokohama Price |
| Chrysanthum, bright yellow | £1 / | | | Per oz. 1/4 lb. 1 lb. |
| Rhododendron ,, 15/- Metternichi , | 51/- 23/- | ACONITUM Fischeri | | 4/- 14/- 44/- |
| RHODOTYPOS | 0/ 0/ 0 | HARDY ASTER | | |
| Kerrioides RHUS | 3/- 8/- 7/ | Tataricus BOCCONIA | | 2/8 8/10 - 26/5 |
| Semi-alata | 1/4 3/8 3/ 2/4 7/- 6/ | Cordata | | 1/8 5/5 |
| Vernicifera | 2/4 7/- 6/ | CADVADUEDIS | | 4/- 14/- 40/- |
| ROSA Davurica | 3/- 10/- 9/ | CHRYSANTHEMUM | | |
| Fujisanensis | 3/10 11/- 10/ | Japonicum | ••• | 20/- 68/- 200/- |
| Multiflora Rugosa | $\frac{1/6}{1/9}$ $\frac{4}{-}$ $\frac{3}{4}$ | | | 3/- 10/- 30/- |
| Wichuraiana | 1/9 9/8 4/ | | | 2, 23, 34, |
| SAMBUCUS | 6/- 20/- 18/ | Asiaticum | | 3/- 8/- |
| Latipina Racemosa, red berries | 2/4 7/- 6/ | | | -/10 2/5 7/8 |
| SAPINDUS | 2/2 0/5 0 | TRIS | | |
| Mukorosi SCHIZOPHRAGMA | 3/3 9/5 8/ | Kaempferi Siberica | | 1/10 6/- 18/5 1/10 6/- 18/5 |
| Hydrangeoides | 9/3 27/10 25/ | | | 1,10 0, 10,5 |
| SKIMMIA | 4/- 12/- 11/ | Auratum Cordifolium | | 6/- 20/- 60/- 6/- 20/- 60/- |
| Japonica SOPHORA | τ/- 12/- 11/ | Elegans, orange | | |
| Japonica | | Japonicum Platyphyllum | | |
| Platycarpa | 6/- 17/10 16/ | Platyphyllum Tenuifolium | | |
| SORBUS Rufoferruginea | 3/- 8/- 7/ | NUPHAR | | 0/ 0/ 00/ |
| STAPHYLEA | 4/5 16/- 14/ | Japonica NYMPHAEA | | 2/- 6/- 20/- |
| Bumalda STERCULIA | | Pigmaea Alba, white | | 3/- 10/- 30/- |
| Platanifolia STEWARTIA | 1/11 5/5 4/ | PHYSALIS Franchetii | | 2/3 7/3 22/- |
| Monadelpha | | 0 1:0 11 | | 1/8 5/5 16/- |
| Pseudocamellia STYRAX | 6/5 18/8 16/ | POLYGONUM | | |
| Japonica | 1/10 4/8 4/ 3/3 9/3 8/ | | | 3/- 10/- 32/- |
| Shiraiana | 3/8 11/- 10/ | - Japonica | | 8/- 26/10 80/- |
| SYMPLOCOS Crataegoides | 3/5 10/- 9/ | SCABIOSA Japonica | | -/10 2/10 8/- |
| SYRINGA | | TRICHOSANTHES | | 3/- 10/- 30/- |
| Japonica, | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | -1 101 |
| | | | | |

NOVELTY LIST

AZALEA MOLLIS YELLOW-FLOWERING Seeds collected from yellowing-flowing sort. 7/-20/-1 oz. 1 lb. CRYPTOMERIA JAPONICA, NORTHERN GROWN Seeds collected from extrem north of main island of Japan where Cryptomeria plants are scarece on account of severe cold. The seeds collected from such plants should be hardier than ordinally Cryptomeria. 1 lb. 4/31 lb. 12/-PAEONIA MOUTAN (JAPANESE GARDEN TREE PAEONY) The seeds we are supplying are gathered from various private gardens where best collections are found. Thus our seeds should contain vast range of colors with good double flowers. which only can be found in the cultivated varieties. 1 lb. 10/-1 lb. 30/5 PRUNUS SERRULATA SACHALINENSIS DEEP ROSE Of this Cherry seeds, We collected seeds from private garden. The flowers are very large with deep rose shade. Extremly ormamental. $\frac{1}{4}$ lb. 6/-1. lb. 20/-PRUNUS SERRULATA SACHALINENSIS WHITE. White-flowering type of the preceeding variety. 6/-1 lb. 1 lb. 20/-RHODODENDRON CHRYSANTHUM This yellow-flowering Rhododendron seeds, we offered to the trade for the first time. This is rare and hard to collect seeds. 1 oz. 15/-51/-1 lb. ROSA DAVOURICA Resembles to Rugosa with red flowers of good size. Extremly hardy and ornamental. Collected from north Manchuria. 3/-1 lb. 1 lb. 10/-SYRINGA JAPONICA (Japanese Tree Lilac) Well-known Japanese Tree Lilac. We supply clean seeds out of hull. 1 lb. 1 lb. 30/-VIBURNUM CARLESII True V. Carlesii seeds are rare and seldom offered. As the result of extensive exploration, we are able to supply to the trade true Carlesii seeds in limited quantity. 1 lb. 1 lb. 36/-WISTARIA CHINENSIS MULTIJUGA BLUE We offer only the seeds collected from true long-spiked trees. 1 lb. 12/8 1 lb. WISTARIA CHINENSIS MULTIJUGA WHITE Seeds collected from true plants. 1 lb. 5/81 lb. 15/5WISTARIA CHINENSIS BRACHYBOTORIS PURPLE. Garden variety with very large individual flower but with rather short spikes. 20/-¼ lb. 1 lb. WISTRIA CHINENSIS BRACHYBOTORIS WHITE Same to above but with white flowers. $\frac{1}{4}$ lb, 6/-1 lb. 20/-CHRYSANTHEMUM JAPONICUM FINEST MIXED COLORS The seeds are collected from great many arden varieties containing great many range of

colours though most of them are single. We highly recommend our seeds on account of the

20/-

1 lb.

68/-

1 lb.

most fascinating colours contained.